FG

Dimensions in mm.

Material: Galvanized or stainless steel AISI 304





Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.


General Data

Designation	Description	Compatible with	Material	Fmax (N)	Mass (kg)
FG 32 - 5485	FG 32	PNCE 32	Galvanized steel	F PNCE	0.22
FG 32 CR - 69495	FG 32 CR	PNCE 32	Stainless steel AISI 304	F PNCE	0.22
FG 40 - 5487	FG 40	PNCE 40	Galvanized steel	F PNCE	0.28
FG 40 CR - 69497	FG 40 CR	PNCE 40	Stainless steel AISI 304	F PNCE	0.28
FG 50 - 5489	FG 50	PNCE 50	Galvanized steel	F PNCE	0.53
FG 50 CR - 69498	FG 50 CR	PNCE 50	Stainless steel AISI 304	F PNCE	0.53
FG 63 - 5491	FG 63	PNCE 63	Galvanized steel	F PNCE	0.68
FG 63 CR - 69499	FG 63 CR	PNCE 63	Stainless steel AISI 304	F PNCE	0.68
FG 80 - 83009	FG 80	PNCE 80	Galvanized steel	F PNCE	1.4
FG 80 CR - 83013	FG 80 CR	PNCE 80	Stainless steel AISI 304	F PNCE	1.4
FG 100 - 83010	FG 100	PNCE 100	Galvanized steel	F PNCE	1.92
FG 100 CR - 83014	FG 100 CR	PNCE 100	Stainless steel AISI 304	F PNCE	1.92

Dimensions







Designation	L1	L2	L3	L4	L5	L6	L7	D1	D2
FG 32 - 5485	80	64	32	45	10	32.5	5	Ø 30 (H11)	Ø 7 (H13)
FG 32 CR - 69495	80	64	32	45	10	32.5	5	Ø 30 (H11)	Ø 7 (H13)
FG 40 - 5487	90	72	36	52	10	38	5	Ø 35 (H11)	Ø 9 (H13)
FG 40 CR - 69497	90	72	36	52	10	38	5	Ø 35 (H11)	Ø 9 (H13)
FG 50 - 5489	110	90	45	65	12	46.5	6.5	Ø 40 (H11)	Ø 9 (H13)
FG 50 CR - 69498	110	90	45	65	12	46.5	6.5	Ø 40 (H11)	Ø 9 (H13)
FG 63 - 5491	120	100	50	75	12	56.5	6.5	Ø 45 (H11)	Ø 9 (H13)
FG 63 CR - 69499	120	100	50	75	12	56.5	6.5	Ø 45 (H11)	Ø 9 (H13)
FG 80 - 83009	150	126	63	95	16	72	9	Ø 60 (H11)	Ø 12 (H13)
FG 80 CR - 83013	150	126	63	95	16	72	9	Ø 60 (H11)	Ø 12 (H13)
FG 100 - 83010	170	150	75	115	16	89	9	Ø 70 (H11)	Ø 14 (H13)
FG 100 CR - 83014	170	150	75	115	16	89	9	Ø 70 (H11)	Ø 14 (H13)

Designation	D3	D4
FG 32 - 5485	Ø 6.5	Ø 10.5
FG 32 CR - 69495	Ø 6.5	Ø 10.5

Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.

Designation	D3	D4
FG 40 - 5487	Ø 6.5	Ø 10.5
FG 40 CR - 69497	Ø 6.5	Ø 10.5
FG 50 - 5489	Ø 8.5	Ø 13.5
FG 50 CR - 69498	Ø 8.5	Ø 13.5
FG 63 - 5491	Ø 8.5	Ø 13.5
FG 63 CR - 69499	Ø 8.5	Ø 13.5
FG 80 - 83009	Ø 10.5	Ø 16.5
FG 80 CR - 83013	Ø 10.5	Ø 16.5
FG 100 - 83010	Ø 10.5	Ø 16.5
FG 100 CR - 83014	Ø 10.5	Ø 16.5

Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.