SSG

Dimensions in mm.

Material: Aluminium or stainless steel AISI 316





Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.


General Data


Designation	Description	Compatible with	Material	Fmax (N)	Mass (kg)
SSG 32 - 9292	SSG 32	PNCE 32	Aluminium	F PNCE	0.09
SSG 32 CR - 69542	SSG 32 CR	PNCE 32	Stainless steel AISI 316	F PNCE	0.18
SSG 40 - 9294	SSG 40	PNCE 40	Aluminium	F PNCE	0.13
SSG 40 CR - 69544	SSG 40 CR	PNCE 40	Stainless steel AISI 316	F PNCE	0.29
SSG 50 - 9296	SSG 50	PNCE 50	Aluminium	14400	0.24
SSG 50 CR - 50709	SSG 50 CR	PNCE 50	Stainless steel AISI 316	14400	0.42
SSG 63 - 9298	SSG 63	PNCE 63	Aluminium	14400	0.3
SSG 63 CR - 69546	SSG 63 CR	PNCE 63	Stainless steel AISI 316	14400	0.66
SSG 80 - 9300	SSG 80	PNCE 80	Aluminium	22500	0.54
SSG 80 CR - 83249	SSG 80 CR	PNCE 80	Stainless steel AISI 316	22500	1.24
SSG 100 - 19731	SSG 100	PNCE 100	Aluminium	22500	0.68
SSG 100 CR - 83250	SSG 100 CR	PNCE 100	Stainless steel AISI 316	22500	1.9

Dimensions









Designation	L1	L2	L3	L4	L5	L6	L7	D1	D2
SSG 32 - 9292	45	32.5	14	22 (JS 15)	12	5	5.5 (±0.5)	Ø 10 (H7)	Ø 6.6 (H13)
SSG 32 CR - 69542	45	32.5	14	22 (JS 15)	12	5	5.5 (±0.5)	Ø 10 (H7)	Ø 6.6 (H13)
SSG 40 - 9294	52	38	16	25 (JS 15)	15	5	5.5 (±0.5)	Ø 12 (H7)	Ø 6.6 (H13)
SSG 40 CR - 69544	55	38	16	25 (JS 15)	15	5	5.5 (±0.5)	Ø 12 (H7)	Ø 6.6 (H13)
SSG 50 - 9296	65	46.5	21	27 (JS 15)	15	5	6.5 (±0.5)	Ø 16 (H7)	Ø 9 (H13)
SSG 50 CR - 50709	65	46.5	21	27 (JS 15)	17	5	6.5 (±0.5)	Ø 16 (H7)	Ø 9 (H13)
SSG 63 - 9298	75	56.5	21	32 (JS 15)	20	5	6.5 (±0.5)	Ø 16 (H7)	Ø 9 (H13)
SSG 63 CR - 69546	75	56.5	21	32 (JS 15)	20	5	6.5 (±0.5)	Ø 16 (H7)	Ø 9 (H13)
SSG 80 - 9300	95	72	25	36 (JS 15)	20	9	10 (±0.5)	Ø 20 (H7)	Ø 11 (H13)
SSG 80 CR - 83249	95	72	25	36 (JS 15)	22	5	10 (±0.5)	Ø 20 (H7)	Ø 11 (H13)
SSG 100 - 19731	115	89	25	41 (JS 15)	25	9	10 (±0.5)	Ø 20 (H7)	Ø 11 (H13)
SSG 100 CR - 83250	115	89	25	41 (JS 15)	25	5	10 (±0.5)	Ø 20 (H7)	Ø 11 (H13)

Designation	D3	D4	R
SSG 32 - 9292	Ø 30 (H11)	Ø 11 (H13)	16
SSG 32 CR - 69542	Ø 30 (H11)	Ø 11 (H13)	15
SSG 40 - 9294	Ø 35 (H11)	Ø 11 (H13)	18

Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.

Designation	D3	D4	R
SSG 40 CR - 69544	Ø 35 (H11)	Ø 11 (H13)	18
SSG 50 - 9296	Ø 40 (H11)	Ø 15 (H13)	21
SSG 50 CR - 50709	Ø 40 (H11)	Ø 15 (H13)	21
SSG 63 - 9298	Ø 45 (H11)	Ø 15 (H13)	23
SSG 63 CR - 69546	Ø 45 (H11)	Ø 15 (H13)	23
SSG 80 - 9300	Ø 45 (H11)	Ø 18 (H13)	28
SSG 80 CR - 83249	Ø 45 (H11)	Ø 18 (H13)	27
SSG 100 - 19731	Ø 55 (H11)	18 (Ø H13)	30
SSG 100 CR - 83250	Ø 55 (H11)	18 (Ø H13)	30

Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.