

## BR---.1100

- The fixing element is welded with the respective combined roller
- Special dimensions on request.

\* For L measurement, see respective roller.


Order example: Roller + fixing element TR070.0200/BR 1100

Roller, combined, fixed, Ø 70,1 mm - welded with mounting plate 120 x 80 x 15 mm

Dimensions in mm.



## Dimensions



| Designation | Remark                                                                                                        | G    | A   | B  | D  | F   | C  | T  | E  |
|-------------|---------------------------------------------------------------------------------------------------------------|------|-----|----|----|-----|----|----|----|
| 50-BR1100   | Roller:<br>TR050.---,<br>Plate:<br>BR1100,<br>Distance<br>sheet:<br>BR050.1505,<br>BR050.1510                 | 10.5 | 100 | 60 | 80 | M10 | 40 | 10 | 40 |
| 60-BR1100   | Roller:<br>TR060.--- /<br>XTR060.---,<br>Plate:<br>BR1100,<br>Distance<br>sheet:<br>BR060.1505,<br>BR060.1510 | 10.5 | 100 | 60 | 80 | M10 | 40 | 10 | 40 |
| 70-BR1100   | Roller:<br>TR070.--- /<br>XTR070.---,<br>Plate:<br>BR1100,<br>Distance<br>sheet:<br>BR070.1505,<br>BR070.1510 | 13   | 120 | 80 | 90 | M12 | 50 | 15 | 50 |
| 80-BR1100   | Roller:<br>TR080.--- /<br>XTR080.---,<br>Plate:<br>BR1100,<br>Distance<br>sheet:<br>BR080.1505,<br>BR080.1510 | 13   | 120 | 80 | 90 | M12 | 50 | 15 | 50 |

## Dimensions

| Designation       | Remark                                                                                                        | G  | A   | B   | D   | F   | C   | T  | E   |
|-------------------|---------------------------------------------------------------------------------------------------------------|----|-----|-----|-----|-----|-----|----|-----|
| <b>90--BR1100</b> | Roller:<br>TR090.--- /<br>XTR090.---,<br>Plate:<br>BR1100,<br>Distance<br>sheet:<br>BR090.1505,<br>BR090.1510 | 17 | 160 | 100 | 120 | M16 | 60  | 20 | 60  |
| <b>110-BR1100</b> | Roller:<br>TR110.--- /<br>XTR110.---,<br>Plate:<br>BR1100,<br>Distance<br>sheet:<br>BR110.1505,<br>BR110.1510 | 17 | 180 | 120 | 140 | M16 | 80  | 20 | 80  |
| <b>120-BR1100</b> | Roller:<br>TR120.--- /<br>XTR120.---,<br>Plate:<br>BR1100,<br>Distance<br>sheet:<br>BR120.1505,<br>BR120.1510 | 17 | 180 | 120 | 140 | M16 | 80  | 20 | 80  |
| <b>150-BR1100</b> | Roller:<br>TR150.--- /<br>XTR150.---,<br>Plate:<br>BR1100,<br>Distance<br>sheet:<br>BR150.1505,<br>BR150.1510 | 17 | 200 | 150 | 160 | M16 | 100 | 20 | 100 |