


## Clamping fixture

Dimensions in mm.

Mini electric cylinder and slider can be mounted by using the clamping fixtures which are placed in the slot on the side of the profile. Clamping fixtures can also be mounted to the slide of the mini electric sliders MSCE (e.i. for multi-axis systems).

The scale of the drawings may not be equal.


**Material:** Powder coated zinc alloy



## Variant Data

Designation	Compatible with	Material	Mass (g)
<b>MG 25 - 108216</b>	MCE/MSCE 25	Powder coated zinc alloy	6
<b>MG 25 - 108218</b>	MCE/MSCE 25	Powder coated zinc alloy	12
<b>MG 25 - 108217</b>	MCE/MSCE 25	Powder coated zinc alloy	5
<b>MG 25 - 108219</b>	MCE/MSCE 25	Powder coated zinc alloy	16
<b>MG 32 - 108216</b>	MCE/MSCE 32	Powder coated zinc alloy	6
<b>MG 32 - 108218</b>	MCE/MSCE 32	Powder coated zinc alloy	12
<b>MG 32 - 108217</b>	MCE/MSCE 32	Powder coated zinc alloy	5
<b>MG 32 - 108219</b>	MCE/MSCE 32	Powder coated zinc alloy	16
<b>MG 45 - 108216</b>	MCE/MSCE 45	Powder coated zinc alloy	6
<b>MG 45 - 108218</b>	MCE/MSCE 45	Powder coated zinc alloy	12
<b>MG 45 - 108217</b>	MCE/MSCE 45	Powder coated zinc alloy	5
<b>MG 45 - 108219</b>	MCE/MSCE 45	Powder coated zinc alloy	16

## Dimensions



- 1 - Clamping fixture
- 2 - Profile of the MCE/MSCE
- 3 - Slide of the MSCE

Designation	A	D	R	E	F	G	K	J	H
MG 25 - 108216	35 (±0,1)	8	3,25	3,60	10	3,50	7	8,50	Ø 3.4
MG 25 - 108218	35 (±0,1)	4,75	3,25	3,60	10	3,50	7	8,50	Ø 3.4
MG 25 - 108217	35 (±0,1)	8	4	2,50	10	3,50	7	8,50	Ø 4.5
MG 25 - 108219	35 (±0,1)	6,50	4	2,50	10	3,50	7	8,50	Ø 4.5
MG 32 - 108216	42 (±0,1)	8	3,25	3,60	10	3,50	7	8,50	Ø 3.4
MG 32 - 108218	42 (±0,1)	4,75	3,25	3,60	10	3,50	7	8,50	Ø 3.4
MG 32 - 108217	42 (±0,1)	8	4	2,50	10	3,50	7	8,50	Ø 4.5
MG 32 - 108219	42 (±0,1)	6,50	4	2,50	10	3,50	7	8,50	Ø 4.5
MG 45 - 108216	55 (±0,1)	8	3,25	3,60	10	3,50	7	8,50	Ø 3.4
MG 45 - 108218	55 (±0,1)	4,75	3,25	3,60	10	3,50	7	8,50	Ø 3.4
MG 45 - 108217	55 (±0,1)	8	4	2,50	10	3,50	7	8,50	Ø 4.5
MG 45 - 108219	55 (±0,1)	6,50	4	2,50	10	3,50	7	8,50	Ø 4.5

Designation	Countersink for
MG 25 - 108216	DIN 912
MG 25 - 108218	DIN 912
MG 25 - 108217	DIN 912
MG 25 - 108219	DIN 912
MG 32 - 108216	DIN 912
MG 32 - 108218	DIN 912
MG 32 - 108217	DIN 912
MG 32 - 108219	DIN 912
MG 45 - 108216	DIN 912
MG 45 - 108218	DIN 912
MG 45 - 108217	DIN 912
MG 45 - 108219	DIN 912