Table of contents

- **Wiring Duct Caps**
- **Wiring Duct 40 x 40**
- **Wiring Duct 40 x 80**
- **Wiring Duct 80 x 80**

Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.

Wiring Duct Caps

Application:
End caps for wiring ducts.

Supply:
2x / 4x sheet metal screw ST 4.2 x 9.5, DIN 7981

System: 40 - Slot 8; 30 - Slot 8

Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.

General Data

Designation	Description	Weight (g)	Compatible with
SZ0053S	Wiring Duct Cap 16 x 40	3	System 40 - Slot 8
SZ0050S	Wiring Duct Cap 40 x 40	8	System 40 - Slot 8
SZ0051S	Wiring Duct Cap 40 x 80	14	System 40 - Slot 8
SZ0052S	Wiring Duct Cap 80 x 80	30	System 40 - Slot 8
SZ0055S	Wiring Duct Cap 80 x 120	32	System 40 - Slot 8
SZ0047S	Wiring Duct Cap 30 x 30	-	Note! System 30 - Slot 8
SZ0048S	Wiring Duct Cap 30 x 60	-	Note! System 30 - Slot 8
SZ0049S	Wiring Duct Cap 60 x 60	-	Note! System 30 - Slot 8

Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.

Wiring Duct 40 x 40

Please note that duct and cover must be ordered separately.

System: 40 - Slot 8
Length (mm): 6000

Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.





General Data

Designation	Description	Ix (cm⁴)	Iy (cm⁴)	Wx (cm³)	Wy (cm³)
RP5010	Wiring Duct 40x40	3.13	5.93	1.24	2.97
RP5040	Wiring Duct Cover 40	0.08	2.01	0.12	1.01

Designation	A (cm²)	Mass (kg/m)
RP5010	2.28	0.62
RP5040	1.17	0.32

Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.

Wiring Duct 40 x 80

Please note that duct and cover must be ordered separately.

System: 40 - Slot 8
Length (mm): 6000

Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.



General Data

Designation	Description	Ix (cm⁴)	Iy (cm⁴)	Wx (cm³)	Wy (cm³)
RP5020	Wiring Duct 40x80	3.74	29.82	1.36	7.46
RP5050	Wiring Duct Cover 80	0.1	14.91	0.14	3.73

Designation	A (cm²)	Mass (kg/m)
RP5020	2.87	0.78
RP5050	2.37	0.64

Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.

Wiring Duct 80 x 80

Please note that duct and cover must be ordered separately.

System: 40 - Slot 8
Length (mm): 6000

Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.



General Data

Designation	Description	Ix (cm⁴)	Iy (cm⁴)	Wx (cm³)	Wy (cm³)
RP5030	Wiring Duct 80x80	37.6	70.95	7.17	17.74
RP5050	Wiring Duct Cover 80	0.1	14.91	0.14	3.73

Designation	A (cm²)	Mass (kg/m)
RP5030	6.14	1.66
RP5050	2.37	0.64

Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.