Table of contents

- **Aluminum Laminated Material**
- **Polycarbonate**
- **Welded Mesh**
- **Acrylic**
- **Aluminum Checker Plate**

Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.

Aluminum Laminated Material

Aluminium composite panels for doors, protective walls and separator applications.

We offer a wide range of sheet materials and panels, ideal for building protective walls and doors, workstations etc. Please contact us for further information or other requests. We will help you to find a suitable solution based on your application requirements.

System: 40 - Slot 8; 30 - Slot 6; 20 - Slot 5



Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.

General Data

Designation	Colour	Dimensions
Aluminum composite panel, silver, 4 mm	silver	Max 2500 mm x 1250 mm
Aluminum composite panel, white, 3 mm	white	Max 3050 mm x 1500 mm
Aluminum composite panel, black, 3 mm	black	Max 3050 mm x 1500 mm

Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.

Polycarbonate

Polycarbonate panels for doors, protective walls and separator applications.

We offer a wide range of sheet materials and panels, ideal for building protective walls and doors, workstations etc. Please contact us for further information or other requests. We will help you to find a suitable solution based on your application requirements.

System: 40 - Slot 8; 30 - Slot 6; 20 - Slot 5



Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.

General Data

Designation	Colour	Dimensions
Polycarbonate clear, 3 mm	Clear	Max 3050 mm x 2050 mm
Polycarbonate clear, 4 mm	Clear	Max 3050 mm x 2050 mm
Polycarbonate clear, 5 mm	Clear	Max 3050 mm x 2050 mm
Polycarbonate clear, 6 mm	Clear	Max 3050 mm x 2050 mm
Polycarbonate clear, 8 mm	Clear	Max 3050 mm x 2050 mm
Polycarbonate smoked, 3 mm	Smoked	Max 3050 mm x 2050 mm
Polycarbonate smoked, 4 mm	Smoked	Max 3050 mm x 2050 mm
Polycarbonate smoked, 5 mm	Smoked	Max 3050 mm x 2050 mm
Polycarbonate smoked, 6 mm	Smoked	Max 3050 mm x 2050 mm

Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.

Welded Mesh

Welded wire mesh used for doors, protective walls, and partitions.

We offer a wide range of sheet materials and panels, ideal for building protective walls and doors, workstations etc. Please contact us for further information or other requests. We will help you to find a suitable solution based on your application requirements.

System: 40 - Slot 8; 30 - Slot 6; 20 - Slot 5

Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.

General Data

Designation	Description	Material	Colour	Dimensions
Mesh welded 30x30	Mesh width 30x30, thread diameter 3,0 mm	Hot-dip galvanized steel	Steel	Max 1250 x 2500 mm
Mesh welded 40x40	Mesh width 40x40, thread diameter 4,0 mm	Hot-dip galvanized steel	Steel	Max 1250 x 2500 mm
Mesh welded 40x40 black	Mesh width 40x40, thread diameter 3,8 mm	Powder coated steel	Black, RAL9005	Max 1000 x 2000 mm

Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.

Acrylic

Acrylic panels for doors, protective walls and separator applications.

We offer a wide range of sheet materials and panels, ideal for building protective walls and doors, workstations etc. Please contact us for further information or other requests. We will help you to find a suitable solution based on your application requirements.

System: 40 - Slot 8; 30 - Slot 6; 20 - Slot 5



Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.

General Data

Designation	Colour	Dimensions
Acrylic clear, 3 mm	Clear	Max 3050 mm x 2050 mm
Acrylic clear, 4 mm	Clear	Max 3050 mm x 2050 mm
Acrylic clear, 5 mm	Clear	Max 3050 mm x 2050 mm
Acrylic clear, 6 mm	Clear	Max 3050 mm x 2050 mm
Acrylic clear, 8 mm	Clear	Max 3050 mm x 2050 mm

Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.

Aluminum Checker Plate

Sheet material for protective walls and separator applications.

We offer a wide range of sheet materials and panels, ideal for building protective walls and doors, workstations etc. This is just a sample of our assortment.

Please contact us for further information about the various materials, specifications and designations. We will help you to find a suitable solution based on your application requirements.

Material: Aluminum, blank (not degreased)
System: 40 - Slot 8; 30 - Slot 6; 20 - Slot 5

Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.

General Data

Designation	Dimensions
Aluminum Checker Plate 5/7 Ver 1	Max 1250 mm x 2500 mm
Aluminum Checker Plate 5/7 Ver 2	Max 1000 mm x 2000 mm
Aluminum Checker Plate 2/4 Ver 1	Max 1250 mm x 2500 mm
Aluminum Checker Plate 2/4 Ver 2	Max 1000 mm x 2000 mm

Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.