Table of contents


- Drill Jig
- Short Step Drills
- Spiral Drills

Drill Jig

Application:

Used for positioning the hole for the central fastener housing.

Material: Steel, zinc-plated. Drill bush hardened and ground. System: 40 - Slot 8




General Data

Designation	Description	Drill hole	Weight (g)
SZ6000V	Drill Jig 40	Ø12	382

Rollco AB • Box 22234 • 250 24 Helsingborg • Sverige Tel. +46 42 15 00 40 • info@rollco.se • org.nr 556574-0353 Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.

Short Step Drills

System: 40 - Slot 8; 30 - Slot 6; 20 - Slot 5



Rollco AB • Box 22234 • 250 24 Helsingborg • Sverige Tel. +46 42 15 00 40 • info@rollco.se • org.nr 556574-0353

General Data

Designation	Description
SZ6205S	Short Step Drill 180° M 5 (Ø 5,7 / 10 mm)
SZ6206S	Short Step Drill 180° M 6 (Ø 6,8 / 11 mm)
SZ6208S	Short Step Drill 180° M 8 (Ø 8,4 / 15 mm)

ROLLCO LINEAR SOLUTIONS YOUR WAY

Spiral Drills

Application: For drilling profiles. System: 40 - Slot 8; 30 - Slot 6; 20 - Slot 5



Rollco AB • Box 22234 • 250 24 Helsingborg • Sverige Tel. +46 42 15 00 40 • info@rollco.se • org.nr 556574-0353 Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice

General Data

Designation	Description
SZ6280S	Spiral Drill Ø8
SZ6285S	Spiral Drill Ø8,5
SZ6320S	Spiral Drill Ø 12