

Shaft Support FTSN Flange Type

Aluminium with mounting holes.

Standard section length $L = 3700$ mm. Lengths other than standard ($L_{max} = 3700$ mm) are also available on request.

Support rails can be supplied upon request, with or without mounting holes. No anodizing in holes.

Dimensions in mm.


Note: The shaft is not included, please order separately.



Variant Data

Designation	Remark
FTSN12G	Standard section length L = 3700 mm
FTSN16G	Standard section length L = 3700 mm
FTSN20G	Standard section length L = 3700 mm
FTSN25G	Standard section length L = 3700 mm
FTSN30G	Standard section length L = 3700 mm
FTSN40G	Standard section length L = 3700 mm

Variant Measurements



Designation	A	B	C	D	E	F	G	H	I
FTSN12G	40	29	15	12	4,50	5	75	22	5,40
FTSN16G	45	33	19	16	5,50	5	100	26	7
FTSN20G	52	37	23	20	6,60	6	100	32	8,10
FTSN25G	57	42	26	25	6,60	6	120	36	10,30
FTSN30G	69	51	29	30	9	7	150	42	11
FTSN40G	73	55	36	40	9	8	200	50	15

Designation	K
FTSN12G	M4x20
FTSN16G	M5x20
FTSN20G	M6x25
FTSN25G	M8x30
FTSN30G	M10x35
FTSN40G	M10x40