

[illegible]

**Available for sizes 15-45 only

HRC/ARC/ERC Rail

	HRU	-	25	-	J	-	1480	-	20	-	20
Rail type HR											
Mounting hole position C: Counterbore from above U: Tapped from the bottom (bottom mounting)											
Size 15, 20, 25, 30, 35, 45 or 55											
Customization code If no customization, leave empty J: Joint rail standard JK: Joint rail keyway + wedge MPC: Metal-plastic caps for rail mounting holes											
Rail length (mm)											
Starting hole pitch (mm)											
End hole pitch (mm)											

HRC/ARC/ERC Block

ARC - 25 - FN - BZC - V0 - N - SN

Type

HRC, ARC or ERC

Size

15, 20, 25, 30, 35, 45 or 55

Block width

M: Standard

F: Flanged

Block length

L: Long

N: Standard

S: Short

Seal type*

B: Standard low friction seal

S: Option tight seal

Lubrication storage pad

Z: Yes (If No, leave empty)

Ball chain**

C: Yes (If No, leave empty)

Preload class

VC, V0 standard, V1, V2

Accuracy grade

N: standard

Customization code

If no customization, leave empty

SN: External NBR seal with metal scraper

*For size 55 is only sealing type S available.

**Available for sizes 15-45 only